
1.

1.1

1.2.1.

1								2021	9	1	
2								2021	4	29	
3						591		2013	12	7	
645											
4						708		2019	4	1	
5										13	
92								2022	4	21	
6											
								103			
								2022	11	9	
7											
										1	
2019	1	1									
8											
									3	2015	
5	29					80		2015	7	1	
9											
										16	
2008	2	1									
10											
								2	2019	9	1
11											
30	2015	5	29				80	2015	7	1	

8

GB 55037-2022)

9

GB 50058-2014

10

AQ 3009-2007

11

2

2002

11

3

2003 7

1.3

1

2


3

4

5

1.4


1-1



1




1



2m

SF

1



1

2

2.4

2-3

2-3

1			219.95m ²			
2			516m ²			H=6m

2-4

2-4

1		2	25m ³	-	SF
2		2	25m ³	-	SF
3		3	SK52GF212K		
4		3	SK52QF212K		

2.5

10

1

2.6

2.7

2.7.1

1

3.

3.1

3.1.1

GB18218-2018

1

2

:

PC-TWA()(mg/m^3) 300

:

:

1

2

3

4

1.5

5

1

30

2

3

1000m³

1

2

()

()

0.5m³

100mm

3

4

GB 7231

5

È

15min

50m

300m

1674

-18

=1 0.87 0.9

282-338

0.6%~7.2%

5 0 -10 60 -20
50 -35 -50 45

15min

10

3.2.2

1

2

3

4

3.3

3-2

3-2

1			
2			
3			
4			

5			
6			

3.3.1

1

4

1

3.3.3

3.3.4

3.3.5

3.3.6

3.3.7

1

2

5.

7

6.

7.

GB50156-2021